

TRANS-KOTE® Ready to Ship

Protective & Aesthetic

Description	Core	Width	Length	Finish
.0012 UltraBurst	3"	24.5	12000'	PI
.0012 UltraBurst	3"	25.5	12000'	PI
.0012 UltraBurst	3"	27.5	12000'	PI
.0013 PGS	3"	22.5	10000'	PI
.0013 PGS	3"	25.5	10000'	PI
.0013 PGS	3"	27.5	10000'	PI
.0013 PGS	3"	39.5	10000'	PI
.0017 Gloss MR	3"	12	3000'	PO
.0017 Gloss MR	3"	12	6000'	PO
.0017 Gloss MR	3"	18	3000'	PO
.0017 Gloss MR	3"	18.5	6000'	PO
.0017 Gloss MR	3"	25	3000'	PO
.0017 Lite Brite	3"	27.5	3000'	PO
.0017 Shimless Rainbow MET	3"	27.5	3000'	PO
.003 (50/250) Gloss	3"	9.5	2000'	PO
.003 (50/250) Gloss	3"	12	2000'	PO
.003 (50/250) Gloss	3"	12	3000'	PO
.003 (50/250) Gloss	3"	15	2000'	PO
.003 (50/250) Gloss	3"	18	2000'	PO
.003 (50/250) Gloss	3"	25	2000'	PO
.003 (50/250) Matte	3"	12	2000'	FO
.005 (1/4) Matte	3"	12	1000'	FO
.005 Gloss MR	3"	9.5	1000'	PO
.005 Gloss MR	3"	12	1000'	PO
.005 Gloss MR	3"	12	2000'	PO
.005 Gloss MR	3"	18	1000'	PO
.005 Gloss MR	3"	25	1000'	PO
.010 (2/8) Gloss	3"	9.5	500'	PO
.010 (2/8) Gloss	3"	12	500'	PO
.010 (2/8) Gloss	3"	12	1000'	PO
.010 (2/8) Gloss	3"	18	500'	PO
.010 (2/8) Gloss	3"	18	1000'	PO
.010 (2/8) Gloss	3"	25	500'	PO



TRANS-KOTE® Ready to Ship

Protective & Aesthetic

Description	Core	Width	Length	Finish
.0012 Nylon Gloss	3"	17"	12000'	PI
.0012 Nylon Gloss	3"	18.5"	12000'	PI
.0012 Nylon Gloss	3"	19.5"	12000'	PI
.0012 Nylon Gloss	3"	20"	12000'	PI
.0012 Nylon Gloss	3"	20.5"	12000'	PI
.0012 Nylon Gloss	3"	22"	12000'	PI
.0012 Nylon Gloss	3"	22.5"	12000'	PI
.0012 Nylon Gloss	3"	23.5"	12000'	PI
.0012 Nylon Gloss	3"	24"	12000'	PI
.0012 Nylon Gloss	3"	24.5"	12000'	PI
.0012 Nylon Gloss	3"	25.5"	12000'	PI
.0012 Nylon Gloss	3"	26.25"	12000'	PI
.0012 Nylon Gloss	3"	27.5"	12000'	PI
.0012 Nylon Gloss	3"	28.5"	12000'	PI
.0012 Nylon Gloss	3"	39.5"	12000'	PI
.0012 OPP Gloss	3"	18.5"	10000'	PI
.0012 OPP Gloss	3"	19.5"	10000'	PI
.0012 OPP Gloss	3"	22.5"	10000'	PI
.0012 OPP Gloss	3"	24.5"	10000'	PI
.0012 OPP Gloss	3"	25.5"	10000'	PI
.0012 OPP Gloss	3"	27.5"	10000'	PI
.0012 Ultra Burst Gloss	3"	19.5"	12000'	PI
.0012 Ultra Burst Gloss	3"	22.5"	12000'	PI
.0012 Ultra Burst Gloss	3"	23.5"	12000'	PI
.0012 Ultra Burst Gloss	3"	24.5"	12000'	PI
.0012 Ultra Burst Gloss	3"	25.5"	12000'	PI
.0012 Ultra Burst Gloss	3"	27.5"	12000'	PI
.0013 OPP Matte	3"	22.5"	10000'	FI
.0013 OPP Matte	3"	24.5"	10000'	FI
.0013 OPP Matte	3"	25.5"	10000'	FI
.0013 OPP Matte	3"	27.5"	10000'	FI



TRANS-KOTE® Ready to Ship

Protective & Aesthetic

Description	Core	Width	Length	Finish
.0013 ULTIMATTE Nylon	3"	18.5"	10000'	FI
.0013 ULTIMATTE Nylon	3"	19.5"	10000'	FI
.0013 ULTIMATTE Nylon	3"	20.5"	10000'	FI
.0013 ULTIMATTE Nylon	3"	22.5"	10000'	FI
.0013 ULTIMATTE Nylon	3"	24.5"	10000'	FI
.0013 ULTIMATTE Nylon	3"	25.5"	10000'	FI
.0013 ULTIMATTE Nylon	3"	27.5"	10000'	FI
.0013 SR Matte Nylon	3"	18.5"	10000'	AI
.0013 SR Matte Nylon	3"	19.5"	10000'	AI
.0013 SR Matte Nylon	3"	20"	10000'	AI
.0013 SR Matte Nylon	3"	20.5"	10000'	AI
.0013 SR Matte Nylon	3"	22.5"	10000'	AI
.0013 SR Matte Nylon	3"	24"	10000'	AI
.0013 SR Matte Nylon	3"	24.5"	10000'	AI
.0013 SR Matte Nylon	3"	25.5"	10000'	AI
.0013 SR Matte Nylon	3"	27.5"	10000'	AI
.0015 School Film	1"	12"	500'	PI
.0015 School Film	1"	18"	500'	PI
.0015 School Film	1"	25"	500'	PI
.0015 School Film	1"	27"	500'	PI
.0015 School Film	2.25"	25"	500'	PO
.0016 OPP Pressure Sensitive	3"	0.5625"	6000'	PS
.0017 EXB Gloss	3"	12"	3000'	PO
.0017 Gloss Digikote	3"	38"	500'	PI
.0017 Gloss Digikote	3"	51"	500'	PI



TRANS-KOTE® Ready to Ship

Protective & Aesthetic

Description	Core	Width	Length	Finish
.0017 Gloss PET	1"	12"	500'	PI
.0017 Gloss PET	1"	18"	500'	PI
.0017 Gloss PET	1"	25"	500'	PI
.0017 Gloss PET	1"	27"	500'	PI
.0017 Gloss PET	1"	40"	500'	PI
.0017 Gloss PET	3"	12"	3000'	PO
.0017 Gloss PET	3"	18"	3000'	PO
.0017 Gloss PET	3"	25"	3000'	PO
.0017 Gloss PET	3"	38"	500'	PI
.0017 Matte PET	1"	25"	500'	FI
.003 (1/2) Gloss Digikote	3"	25"	500'	PI
.003 (1/2) Gloss Digikote	3"	38"	250'	PI
.003 (1/2) Gloss Digikote	3"	38"	500'	PI
.003 (1/2) Gloss Digikote	3"	40"	250'	PI
.003 (1/2) Gloss Digikote	3"	43"	500'	PI
.003 (1/2) Gloss Digikote	3"	51"	500'	PI
.003 (1/2) Gloss Digikote	3"	55"	500'	PI
.003 (1/2) Gloss Digikote	3"	61"	500'	PI
.003 (1/2) Gloss Digikote	3"	62"	250'	PI
.003 (50/250 EXB Gloss	1"	12"	250'	PI
.003 (50/250 EXB Gloss	1"	18"	250'	PI
.003 (50/250 EXB Gloss	1"	25"	250'	PI
.003 (50/250 EXB Gloss	3"	12"	2000'	PO
.003 (50/250 EXB Gloss	3"	18"	2000'	PO



Top AIB Rated Facilities | ISO: 9001 Certified Facilities

Order today, call us at 800-972-8858 or 847-678-1800
Send us your request at [TRANSCENDIA.COM/CONTACT-US](https://www.transcendia.com/contact-us)

©2019 Transcendia, Inc.

TRANS-KOTE® Ready to Ship

Protective & Aesthetic

Description	Core	Width	Length	Finish
.003 (50/250) Gloss	1"	12"	250'	PI
.003 (50/250) Gloss	1"	18"	250'	PI
.003 (50/250) Gloss	1"	25"	250'	PI
.003 (50/250) Gloss	1"	27"	250'	PI
.003 (50/250) Gloss	2.25"	12"	1000'	PO
.003 (50/250) Gloss	2.25"	18"	1000'	PO
.003 (50/250) Gloss	2.25"	25"	250'	PO
.003 (50/250) Gloss	2.25"	38"	250'	PO
.003 (50/250) Gloss	2.25"	40"	250'	PO
.003 (50/250) Gloss	3"	12"	2000'	PO
.003 (50/250) Gloss	3"	25"	2000'	PO
.003 (50/250) Gloss	3"	38"	250'	PI
.003 (50/250) Gloss	3"	40"	250'	PI
.003 (50/250) Matte Digikote	3"	38"	500'	FI
.003 (50/250) Matte Digikote	3"	43"	500'	FI
.003 (50/250) Matte Digikote	3"	51"	500'	FI
.003 (50/250) Matte Digikote	3"	55"	500'	FI
.003 (50/250) Matte PET	1"	25"	250'	FI
.003 (50/250) Satin Digikote	3"	38"	500'	SI
.003 (50/250) Satin Digikote	3"	43"	500'	SI
.003 (50/250) Satin Digikote	3"	51"	500'	SI
.003 OPP Gloss	3"	51"	500'	PI
.003 School Film	1"	25"	250'	PI
.003 School Film	1"	27"	250'	PI
.005 (1/4) Matte	1"	25"	200'	FI
.005 (2/3) Display White Opaque	3"	38"	250'	PI
.005 (2/3) Gloss Digikote	3"	25"	500'	PI
.005 (2/3) Gloss Digikote	3"	38"	250'	PI
.005 (2/3) Gloss Digikote	3"	40"	250'	PI
.005 (2/3) Gloss Digikote	3"	43"	250'	PI
.005 (2/3) Gloss Digikote	3"	51"	250'	PI
.005 (2/3) Gloss Digikote	3"	55"	250'	PI



TRANS-KOTE® Ready to Ship

Protective & Aesthetic

Description	Core	Width	Length	Finish
.005 (3/2) 35% Hard Coat	3"	38"	250'	KI
.005 (3/2) 35% Hard Coat	3"	51"	250'	KI
.005 (3/2) Gloss Digikote	3"	38"	250'	PI
.005 (3/2) Gloss Digikote	3"	43"	250'	PI
.005 (3/2) Gloss Digikote	3"	51"	250'	PI
.005 (3/2) Gloss Digikote	3"	61"	250'	PI
.005 (3/2) Textured Hard Coat	3"	38"	250'	XI
.005 (3/2) Textured Hard Coat	3"	51"	250'	XI
.005 EXB Gloss	1"	12"	200'	PI
.005 EXB Gloss	1"	25"	200'	PI
.005 EXB Gloss	3"	12"	1000'	PO
.005 EXB Gloss	3"	18"	1000'	PO
.005 EXB Gloss	3"	19"	4000'	PO
.005 Gloss	1"	12"	200'	PI
.005 Gloss	1"	18"	200'	PI
.005 Gloss	1"	25"	200'	PI
.005 Gloss	1"	27"	200'	PI
.005 Gloss	1"	40"	200'	PI
.005 Gloss	2.25"	12"	500'	PO
.005 Gloss	2.25"	18"	500'	PO
.005 Gloss	2.25"	25"	500'	PO
.005 Gloss	2.25"	38"	200'	PI
.005 Gloss	2.25"	38"	200'	PO
.005 Gloss	2.25"	40"	200'	PO
.005 Gloss	3"	12"	1000'	PO
.005 Gloss	3"	18"	1000'	PO
.006 Display Lustre	3"	38"	250'	PI
.006 Display Lustre	3"	51"	250'	PI
.010 (2/8) EXB	3"	12"	500'	PO



Top AIB Rated Facilities | ISO: 9001 Certified Facilities

Order today, call us at 800-972-8858 or 847-678-1800
Send us your request at [TRANSCENDIA.COM/CONTACT-US](https://www.transcendia.com/contact-us)

©2019 Transcendia, Inc.

TRANS-KOTE® Ready to Ship

Protective & Aesthetic

Description	Core	Width	Length	Finish
.010 (2/8) Gloss	1"	12"	100'	PI
.010 (2/8) Gloss	1"	18"	100'	PI
.010 (2/8) Gloss	1"	25"	100'	PI
.010 (2/8) Gloss	1"	27"	100'	PI
.010 (2/8) Gloss	2.25"	18"	250'	PO
.010 (2/8) Gloss	2.25"	25"	250'	PO
.010 (2/8) Gloss	3"	12"	500'	PO
.010 (4/6) Gloss Digikote	1"	25"	100'	PI
.010 (4/6) Gloss Digikote	3"	38"	250'	PI
.010 (4/6) Gloss Digikote	3"	51"	250'	PI
.010 (4/6) Gloss Digikote	3"	60"	250'	PI
.010 (7/3) 35% Hard Coat	3"	38"	250'	KI
.010 (7/3) Gloss Digikote	3"	25"	250'	PI
.010 (7/3) Gloss Digikote	3"	38"	250'	PI
.010 (7/3) Gloss Digikote	3"	51"	250'	PI
.010 (7/3) Textured Hard Coat	3"	38"	250'	XI
.010 (7/3) White Backer	3"	38"	250'	PI
.003 HW Tabbing	3"	1.625"	2000'	PO
.003 HW Tabbing	3"	1.625"	4000'	PO
.003 Low Temp Tabbing	3"	1.625"	2000'	PO
.003 Low Temp Tabbing	3"	1.625"	4000'	PO



TRANS-KOTE® Ready to Ship

Protective & Aesthetic

Description	Core	Width	Length	Finish	MOQ
.0012 Edge Reinforcing	3"	.5625"	10000'	PO	10 rolls/1 Box
.00135 Edge Reinforcing (Spool)	3"	.5625"	44000'	PO	10 rolls/5 Box's
.0025 Laser Printable	3"	1.625"	2000'	PO	9 rolls/1 Box
.003 Heavy Weight Clear	3"	1.625"	2000'	PO	9 rolls/1 Box
.003 Heavy Weight Clear	3"	1.625"	4000'	PO	5 rolls/1 Box
.003 HW MD Green 625	3"	1.625"	2000'	PO	9 rolls/1 Box
.003 HW Gray 115	3"	1.625"	2000'	PO	9 rolls/1 Box
.003 HW Red 205	3"	1.625"	2000'	PO	9 rolls/1 Box
.003 HW Yellow 305	3"	1.625"	2000'	PO	9 rolls/1 Box
.003 HW Purple 805	3"	1.625"	2000'	PO	9 rolls/1 Box
.003 Low Temp Clear	3"	1.375"	4000'	PO	5 rolls/1 Box
.003 Low Temp Clear	3"	1.625"	2000'	PO	9 rolls/1 Box
.003 Low Temp Clear	3"	1.625"	4000'	PO	5 rolls/1 Box



Top AIB Rated Facilities | ISO: 9001 Certified Facilities

Order today, call us at 800-972-8858 or 847-678-1800
Send us your request at [TRANSCENDIA.COM/CONTACT-US](https://www.transcendia.com/contact-us)

©2019 Transcendia, Inc.